Phinteri	JAN 2	2 2014	on for a		incrome		and party for high straining	And Designed and the second	
Date:	igned applies fo		and some management	a no ser inne	taninin das	and the second second	Nation I		011-7,8&1
	ipheo appres ro indensigned aga								
	picabia ordinan								
	nd with the infor						0000000000		ALC: N
Ovner	Steve Segers	arom		-	Agent		Buffaio Wh	ite Sand,	uc
Additresa	S655 State R	ld 37			Address		3314 569h 1	Etrèet	
City, St, Zip	Mondovi, WI	64768			City, St, 2	5p	Eas Claire,	WI 6470	1
Phone #		040002			Ptone #		715-874-45	510	
Email				_	Enal				
	# 1	-			-		50	. (.	OD
Skonature	Diece Segers	ato	-	-	Signature	9 - P	Rehard Lo	rater ON	N.C.
egal Desci	ription: (May b		n your real e	state tax st	(Inematic		Contraction and		al
40	1/4	NE	14	Section	33	Town	24N	Range	11W
Town of	Mondovi	and the second second second		Parcel #	and a first state	1000			
					-				
Location:	State Rd. Lot P	37	_ County Rd Block		Tawn Rd: Subdivision				-
	Lot Size		Arres	367	Spittlandy	and the second s	No		-
					-		and discussion		-
hoposed p	roject and/or a	19491	SEE ATTA	CHED					
	ising property	and other	details:		SEE ATT	ACHED	Sec. of the sec.		
	a protocolity								
omension.	Cardine.		Width	-	_Height		Square Ft.		_
			15.00100						-
	v project:		Width: tances are gn				σ.		-
	er project: Highway Righ		15.00100	feet		Highwe	σ y Centerline		feet
	er project: Highway Righ Front lot line	n of Way	15.00100	feet feet		Highwey Rear lot	o V Centerline		feel
	r project: Highway Righ Front lot line Side lot line ()	n of Way	15.00100	feet feet		Highwey Rear lot Side lot	0' y Centerline Line Line (right)		foel feel
	r project: Highway Righ Front lot line Side lot line (k Septic tank	n of Way	15.00100	feet feet feet		Highwey Rear lot Side lot Drainfe	0' y Centerline Line Line (right)		feet feet
	r project: Highway Righ Front lot line Side lot line IX Septic tank River	n of Way	15.00100	feet Net feet feet feet		Highwey Rear lot Side lot Drainfe Stream	0' y Centerline Lline line (right) Id		feel feel feel
	r project: Highway Righ Front lot line Side lot line IX Septic tank River Lake	n of Way	15.00100	feet feet feet feet feet		Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Line line (right) Id		feet feet
	r project: Highway Righ Front lot line Side lot line IX Septic tank River	n of Way	15.00100	feet Net feet feet feet		Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Lline line (right) Id		feel feel feel
Setbacks fo	r project: Highway Righ Front lot line Side lot line IX Septic tank River Lake Airport	n of Way	15.00100	feet feet feet feet feet		Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Line line (right) Id		feel feel feel
letbacks fo	r project: Highway Righ Fronc lot line Side lot line (k Septic tank River Lake Airport sts of: New Building	n of Way eff)	15.00100	feet feet feet feet feet		Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Line line (right) Id		feel feel feel
Dimension Setbacks fo Nork consis	r project: Highway Righ Fronc lot line Side lot line (k Septic tank River Lake Airport sts of: New Building	n of Way eff)	15.00100	feet feet feet feet feet Addition	50'. indicato	Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Line line (right) Id f ell tecility Sign	*	foot foot foot
Setbacks fo	r project: Highway Righ Front lot line Side lot line IX Septic tank River Lake Airport.	n of Way eff)	15.00100	feet feet feet feet feet feet	50'. indicato	Highwey Rear lot Side lot Drainfiel Stream Wetland	0' y Centerline Lline line (right) ld ld lid ell tacility	x	feet feet feet
Setbacks fo Nork consis	r project: Higtway Righ Front lot line IX Side lot line IX Septic tank River Lake Airport sts of: New Building Relocation of	t of Way eft) building	tances are gn	feet feet feet feet feet Addition 0.cotaniai is	50'. Indication	Highwey Rear lot Side lot Dramfel Stream Wetland Wind/Co	g y Centerline line (sigtto id d si tacility Sign Modification		feet feet feet feet
Setbaoks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	ing any pote	feet feet feet feet feet feet Addition (kostania) k	soder, due	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet
Setbaoks fo Vork consis	r project: Higtway Righ Front lot line IX Side lot line IX Septic tank River Lake Airport sts of: New Building Relocation of	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet
Setbaoks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition (kostania) k	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	foot foot foot foot foot foot foot
Setbaoks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet
Setbacks fo Nork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	foot foot foot foot foot foot foot
Setbaoks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet
Setbaoks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet
Fetbacks fo Vork consis	r project: Highway Righ Front lot line D Soplic tank River Lake Airport sts of: New Building Relocation of detail the requ	t of Way eff) building	Ing any prote	feet feet feet feet feet feet Addition fucutanial is metal noise, peed use w	oder, due hich may i	Highwey Rear lot Side lot Drainfiel Stream Wetland Wind/Co	C y Centerline line line (right) ld ell tacility Sign Mostication	80, gas, e	feet feet feet feet feet

Other existing building		Public roads.	he proposed structure or add Bodies of water	over, and containing the
Existing/proposed we	da.	Lot lines	Septic systems	
complete the applicat	on or plot plan s ring Department	ell result in a delay in proce it at (608) 685-6218 for ass		
Pees:	\$250 ALCUP	's accept silica (hac) sand i	TINAS	
	3 Abb Silica (6	rach agent minage. Core agent	when here also required upon a	in a second s

Make checks payable to Buffalo County Treasurer and return completed application to: Buffalo County Zoning, PO Box 492, Alma, WI 54810 Or email correlated application with plot plan scanned in to: <u>benjamin.bu</u>

benjamin bubitz@buffalocounty.com

Approved Land Resources Director	Hand Delivered	Mailed Zoning Designee	Enailed
Non-Farm Mobile Homes Easement?		CUPs on 40-Acres Model Year	
Sign Type # of Parcels Requested Sol Classification	Vision Triangle	Satitary Permit Land Abutting St or Feb Rd? Sign Permit Needed?	Address Arport
Use District Soils District Wellands	Conditional Use:	Permitted Use: Shoreland District	Variance Floodplain

Application for a Conditional Use Permit Modification

Proposed project and/or use: The proposed use has not changed: The mining and extraction of a natural resource (fracture sand), including the wet and dry processing of said natural resource.

Use of adjoining property and other details: The land use to the north is a gravel pit; to the south is agricultural crops and farmland. The land use to the east is also agricultural crops and farmland, and to the west is forest. The project site encompasses 367 acres in an Agricultural District. The property is located in the portions of Sections 28, 33, and 34, Township 24N, Range 11W, Town of Mondovi, Buffalo County, Wiscensin. The life expectancy of the mine is 20 years. The material to be mined consists of silica sand and limestone.

Describe in detail the request including any potential noise, odor, dust, smoke, glare, refuse, gas, effluent, or other potential nuisance resulting from the proposed use which may impact neighboring properties: This request is for a modification/revision to CUP #2011-7, 8 & 9. Applicant is proposing to remove Condition #5 of the permit(s) in question with regard to a dry processing facility only on the site. Applicant requests wet and dry processing at the site be permitted. Applicant has submitted an application for a high capacity well permit through the State of Wisconsin Department of Natural Resources. See Addendum A. Applicant does not expect the modification to impact the neighboring properties.

Map of Property/Components. A map with layout of the property showing the components of the operation is attached as Addendum B. The wet plant design is attached as Addendum C. An equipment list for the wet plant is attached as Addendum D.

Water Usage. With the addition of a wet processing facility, average daily water usage will be 400,000 gallons a day, with maximum water usage being 700,000 gallons per day, however, approximately 85% to 90% of the water will be recycled.

Surface Water/Wetlands. There are no ponds, lakes, streams or rivers located upon the property. Additionally, there are no wetlands located upon the property.

Topographic Map. A topographic map showing the drainage patterns of the site is attached at Addendum E.

Certification. Buffalo White Sand, LLC hereby certifies and commits to provide to Buffalo County financial assurance in accordance with the Buffalo County Zoning ordinance prior to commencing mining on the site.

Buffalo White Sand, LLC

BY: 🖒

Richard Lowater, General Manager

these of Historia's Department of Nature Posts of the Privata Matar Systems Station - DGO dire velopine

High Capacity, School or Wastmyster Treatment Plant Well Approval Application ed.C. 1057 9 - 2013

Furm-1980-050 (R 7/RG

Physe 1 of 8

Number, Prior department approval to required to the construction, connected and or operation of a high cases of \$60 or operating to the construction of a prior department of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of a high cases of \$60 or operating to the construction of \$60 or operating to the

Use this have to support an approval to inside before of a well or wells on a high capacity priperty, seak approval to case of an elements in high capacity property at to shall be cased of an element of the base of the second property at the state of the second property at the state of the second property at the state of the second property at the second property of the second property o high calorisity wall, high capacity property and high napacity well applied an people's

This form in mail interchefts for used when sending approval for construction or weakleption of units sampling water systems regularied ander cit. All print We. Advs. Cock. Any value settors sampling if or local bucket. If an reason endels homes, 12 or none apartments, 16 primers removements with an repressing/bries is regulated under ets NPLEFT, We. Advs. Code. Tax/WH 811.01, We. Advs. Cock for apartments.

· · · · · · · · · · · · · · · · · · ·			
Applicant Information	and the second	And the second sec	
Annihumber Prepared By (Name and Title)		Surgery ,	12882
Dick Louisder Tics	and Managai	ater Past	the Sandi LLC
SV35 A Shile His	Vin Barbar	Marridge St.	- UR 54755
75-797-13:26		Seen	SCAR, COMMENT
Property Overarship Information		1.5.7.5.5.0	and the and the second second
Presenty owner, Publicant than applicant	Net 4 of Pelanit and TONE	Engary	
Stone Sugerdina		Dy	Bate P Cote
Signer State Hung	3) For Narder	Enisterii	- WE SH755
715-377-9635 Well Operator Information		Suga	@ Freeher set wet
Well opportunit & effortuni (horo pages) (Menter	of Pensan and Tillio	Energine .	
down dine	Same Bar	3 states 6	ALL SAD LLC
	- 12 ¹ 2		
5555A Wester Version	Fire Barrier	M. Develanti	L Contract of the second secon
STATES CONTRACTOR AND			DOLD Good China
115-197-13:54		1.36.04	rand do construction
roparity Information			
reporte si fin knye of application, earler 1978 I tan like compact stati of departmental sail	NE: NOTE: Find the Storent state flot is brand to different	ter in apper state frantisieren nd pany instaten. Un bis o	comparing the root descinational as a tripped support of this mean masser, high separate vector approach support allows, user "File location" in real potentia with (1) in A shifts for another of property was).
conty The Ulis La	Jineo.	1	gh Gapenty Hole Flip No.
Veryman.	marke	14.5	blue a
stantitel Parpieso			
Dreak sall that epiphyi			
, install one or more now wells with a	coparity protor than 76 p	ofigen per retrole.	
I triated rate or main new wells with a			apacity property.
Replacit una ur more wells with a ca			
Replace one or more wells with a ca			scity anti-arts.
Repartment the an increase wells weld a			
Reconstructure or more wells with			house the property.
stormane pumping rate in any or mor			and a second
[Repard cortinant specifics of high			elization the respected h
		The second second	and the second sec
Heriow a provincia approval that here		Section and the section of the	

Well (or wells) will serve a school or wassinvator metament plant. See development page in

COT er, eigtlicht

Ē

ADDENDUM A

Fore	100 254	(8.285)	Page 2 el ti

8	le S	a pring	a laformation
	d th	e it	The site status using the internet or the compact disk of experimental well data that is leased to drillers and parts installant formation supplied by the property owner. Internet address is <u>drovel.gov/seg/hostos/hepithes/tos</u> . Enter YES or NO for each wing questions.
ň	1 E	N0 页	Hes the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
C	1	2	Has there been a change in well ownership since the last approval was written? If VES, name of wateri see at
C	1 1		Has there learn a change in well sperator since the last approval was written? If YEB, some of served sporater
C	1 8		Will a proposed well be connected to a plumbing system that is supplied by other sources jother wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
C	1 0	۳.	Is a proposed well within 1,200 fest of a tantilli? Outpervise if there are any landfills resulty, using the well information compared this FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YEB, he the leadth site ID Number: OR LandBlacelue: //ownship/tange/tochesi
	4	1	In a proposed well on a property that has a containined alle?" IF VCD, that the DRVTES (Surges for Hernestializer and Redovelopment Trucking System) Namber have and specify if the site is open or closed.
	4	ŧ,	a a propried well on a property that has a groundwater use residulen received on the sheet? If YES, list the BMRTS untole, as assigned to the contaminated site by the DNR remediation and indevelopment program:
	ţ	· //	a propheted woll on a property that is listed on the department's registry of doned remediation sites for a proof-divalar case oblicitor? Non-compact disk or interval at <u>apps.drr.stells.ed.us/hr/b/trimel.ap?tells-forts</u> . If YESI, hat the GMMTS Namber error
	Ķ		a proposed well to be used for a public valer supply system that serves 25 or more people? See definition of a "public alor system" in the definitions sectors on page 5.
	×	(in proposed well to be invitalied within a special onsing what? Plater to the flat of special caning areas that is published, y the department and/or contact the regional DNH office.
0	Ķ	14	ias the number of wells or pumping capacity in an existing well increased since the most mount high capacity well oprovel was issued?
	R		en the number of wells docessand since the recet recent tigh capacity well approval? If the property is not yet a high sensity property, check NO.
	X	1	a non-pressurant alonge research is in reserver) other than a point proposed or in use?
0	2		III the well-blocharge dreedy to a starage ponel?
0	8	CH	A pressalized task with a capacity greater than 1,000 gallons proposed or in use?
×	2		# 2010/coned work within 1,220 feet of a quarty?
	Q4	1	a proposed well-located in a flootplain or flootway?
	80		e any existing well-installations on the high casedly property out of compliance with Chapter NH 812, Wadorald Initiativative Cente?
	60	-	If the well be used as a source of butfied water?
	Ø	An 10	e you availing a variance to construct a well that has a capacity of leas than 70 gallons per minute in low capacity well retriction standards?
	槊	14	the property served by a commanity water system?

Fors 2310-256 (H 206)

Page bat 6

Extering Web information					
Enter the following internation of	in all endeding walk on its	o proporty. If reary than fo	or wells, scheel additional st	hoots	
Mid Natia Assigned by Well Overan (North Well, etc.))	Sin Marbed				
2843 Northal Antigral by Owner (801, 202, etc.)					
Wicklepe Well-Number or KH. 8 nm member	VGOBL	NIN	AICA		
Promarkent DNR High Capacity Intel Alexhop or NVL 8 week	NIA	Alle	Alex		_
Public Weter Dyston-SD Norskey, it Hubble (Print public, AKINE)	Dana	Jana	None		
Philuble or Non-Palable Use.	Republic	Stable	Schola		
Type of theil (hrgatian) technicles, Residential, etc.)	e Aline	Received	Dechalal		
Resourced Average Watav Dasge pa Day In Gattaria	25	150	156		
Pergianatai Madricia Malei (isage per lliqvin Calces)	150	300	300		
Seneocal? (Apd) to Oribitian, Team Answed, etc.3	Year arous	Paco Acard			
Accord Privating Capital (2) Prevenuely Approved (2)		-			
Ournall Plans Tales & Coperty Spire	Bahamar H 61	6) Alexander (6)	Submarthe are		
Proposed Porty Type & Capacity If Ohenge Responded types)			_		
Natio Gladienge Type (Dwar Sup of Casting Seral, Pillines, Jac.)	Arthur	RAILER	Atley		
Nothing Excelor (Balding France Teck, Ford, 40.2	anhy ash	Buldhy Marine	Billingene		_
Hight of field Centry Above Ground In Index:	18 1	14	14		
Otor Ball Conformant Review and Delahout	10	17			
Not Los: Quarter Quarter Bassion	NOE THE YOUN	55 ma 108 m	38 140 82.14	NH of	104
or Boversteeri Lei Ranber	August and an and a second				
Deckinson Freekin Long Lot.No.	33	33	33		
Tovertix	1.24 #	7 24 11	T .24 W 1	-	
Range (Talact E or Vi)	9 11 DE PR				le Cla
Califords (Despress and Millionian)	44 . 21 883	1 1	1 1		
Langkah (Depice and Minutes) OPD Mac Datus (WOEBA, NTMR1.ebc.)	91 . 13239				
effede an much of the latenting indust- th consideration except is stikeling, or	ation as presided for walts it	had do ned house und converse	rites minute othersal is its op	plication, however	194
ets of Cominaction;		612/1378	etser was		
rifted by (Nema of Onling Firms)	h K sheet	0 1 1 11	page stars		
King Mathod(c) (Rotary, Percedent, Clu)	able they bedy	Calle Tal			
al Duph is Fault	124	175	135		
ther Entireped Drillings Otomanan In Inches and Dispits In Pass	CONTRACTOR CONTRACTOR	(1,000 21 m	and the second second	inches.	fuel
wo Drittelle Disnater in Indone and Daph in Feat	(1)	Linten USS and		Patron.	-
El Coning Disroster In Inches and Depth In Fact.		L instan 73 test		Auton.	-
d Cashing Wallottal and High Thickness	A538 145	4033 ,280			
Incher Spanis Metantial Behaviors Costing and Onlineire Web Premis Web Schwarz (Y et M), If iss.	Charles Caste	2 all O day	Suns day	_	
Scenin Well Schertart (* dr My If tes, 1 Scherter Motertart)	N	N	N		

Fam 308-554 (6.765)

Page 4 of 0

Proposed Wall Information	Second Chever									
Enter the following internation and	at proposed we	h on the prop	party, if	hore lief	fuer und	to of allering	a ivesi	action, submit	additional to	hade
Wed Name Assignating Well Overar (North Woll, do.)				1000		10000				
Mell Number Assigned by Charter 2001, 082, etc.3	C	54								
Midl Lot: Quarter Quarter Section of Presetti Litry Lit Newber		364 10	14 40	testes (3.5		14.0	141-1	r failles	
or Generative Lecharsher										
Township & Harige Stelest E or 9	97.24	N.N	11	De	1.00	T		16.11	Cla	Dw
Leibets (Depress and Africas)			-						_	
Longikido (Depress and Minuted)			_	_						
GPS Map Datase (MUSAN, WIMPL, MU)			-							
Type of Well (Reignbor, Includrial, Revolution), etc.)	Westerla	hind		Sectore 1	sla Poletine	type			- Potale Net-1	ne Poteibie
Deling Methods (Potary, Precaudor, Inc.) Articlpaned Georgical Meteorals and	The L		10.00						_	
Material and Death Islanull	T.C.		d them		-	-				_
make and the second sec	Section 24				£			199	R. H.	
Mokeriel and Depthvintervolt	Sen Re	2. 909	- 5		160		_	Ter:	* N2	
Motorial and Depth Interval		944		1.00	-	-		bare .	* M	. 1
Metodial and Dright Interval				- 68				April	1.00	- 4
Material and Depth Interval		. tur		1.62			_	Rei	1.10	1
Drifficite Distorter and helicipoles! De	And a second second		_							
Diameter and Dapits Interval	0		0	141 6	0.1			there -	1.10	
Diameter un/Oxpohintanual	12	e fran	60	1 40 14	0.0		_		110	
(Nerwyter and Gepth Interval		hore		181				Rates	1.64	
Permanent Cashque Uno Disease Disease and Hull Trickness	and blad Thickness	n ar Arminput	of Disp	ri tretarreale	E		_			
of Digits Internal	12:35 dan/	35 - 14	6 C	4" ht -	60 -	1.10	and .	1 1968	01.00	
Elizenative and Mod Trickmann at Depth Interval.	* Carl	- mic		- 11	-			* 1968	1.30	
Pervanery Centry or Char Material,			-		_		-	1004		-
Costing Joints (Wahled, Yared C,	well.	0								
Holarks and Height										
At Doph Istangi Historiat and Paught	A533	1.18.4 m	det_	1.16	60.1			An had	07.34	
ad Ought Interval		r	And	- *M		0	1	Estud	1.60	
Interest Material, Stid Goals Installed and Depth Interval ar-NA-E sone:	AIG		10	16				1	1.16	
Cooling to Society Julie (Weiters), T and G. & Packer, etc.) Unsuity Space Bildmoid Inducting Pitter	ALA	last	-		_			24		
Malerial and Death Intervel:				191	2 4 1				81 ks	
Matcript and Dspith Interval	HEAT S	C'USANCE.		0, 18	hills -			-		
Ungested Anteinge Water Unique Par Days in Oathersi		F= 460		1.84		-		- C-	1. 10	
reprised Maximum Water Useps Per- Sale in Galaxies	220,000		1,01.000	~	_					
Around P (April to Ocimies, Year Around, etc.)	April to	· Cal	hat	-	_	_				_
reposed Pump Type & Capacity agenty	hine 5	12ml	1.1.5		_					
Seal, Pilleos Adapter or Unit:	crank	la and	6. the	and a	In					
hohange Locadon (Building Primourn Terik, Pond, etc.):	(Martin)									
Contemporate Officer Proteomat Contemporate Sciences Marcine Re Other Proteomat	nendar	St wile	12	6						_
Cedering Terrory			_			_		_		_
ave Mark, for Department use and					- 1					

1

Required Attactments

- Attach one of the maps described in A, or B,, holese. Plot the existing and processed well locations on the was. For wells that have a Westonic Unique Well Number and Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plut map with the preparity locandary clearly shown. If the property is contiguous with properties owned by the same events is another is another is weathy, indicate a copy of that coveraits map too, showing the property boundaries. If the property owner purchased that property on the map.
- Wap of the property prepared by a lummaid land surveyor and the property description as described by the surveyor.
- 2. Elements may showing all of the following that are planned or whit within 300 host of each proposed well: proposed well location; other wells; proporty beamlary; wellands; potential contaminant seconds (applic tank and dwintfield, petroleum storage tanks, sewer three, etc.); fouldings and north entow. If no pertinent features to map within 300 host of the proposed well, for example an intigation well in the middle of a field, state that on the property map lated above and plot the well locations on that stop.
- Any well construction recently available for existing wells on the property. Ou nut attach any well construction records for wells first any nut on the property. If a Wisconsin Unique Well Namber issu not been ensigned, with a well name or site well number on the record that correlates to the well name or somer plasted on the maps.
- 4. For proposed wells with a capacity greater than 430 gallano per relevals, include the performance cave or performance table that is provided to the pump enanufacturer. If the pump will be a lineatual turtere, provide a curve with the same rank and the motor under full load and list the inclor transposer.
- 5. If more than one well is connected to a common planting system, also periods a schemalic drawing of the system showing method of preventing boothow. This sketch must include the well discharge (plicat, over top of casing sentiary smil); the weller line four the well prevention; sin pape, manually operated volves; sampling tacents; check volves; backfew prevention; sin pape; manually operated volves; surger method with a fit and any other partners fillings. This schematic drawing met also interdly which of these components are builded or above ground. If there is more than one check value within the well coding, include in-well check volves on the setting of a schematic drawing must also interdly which of these on the schematic drawing must also interdly which of these on the schematic drawing must also interdly which of these on the schematic drawing must also interdly which of these on the schematic.
- If reconstruction of an existing wall is proposed, include a diagram of the current wall construction and a diagram of the proposed construction.
- If the application is for a high reposity well or wells, a \$500.00 check payofels to the Department of Habaral Resources, unless the repolication is only for continued operative, after a change of evenential.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 text of a landBL, a well on a property will a procedurate use modulation, or any other variance to NPL B12, Wis. Adm, Code, the property owner must sign the application. If the well spectrum will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unigred and incomplete applications will not be approved.

By signing this torm, the person signing this application cartilles that to the best of his or hor knowledge, all entries well installadions on the property samply with sh. NR 852, V6s, Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application to accurate and correct.

Steren M. Se	STEPS THE MA	Check Box	Agott of the Owner
tome Ster Segnet	Europany		10-3-15
Application submitted, blue completion a	period on and parment with all room	ired attachments to GNR, Privat	

Application submitted. Mult completed application and pagment with all registred attachments to GNR, Private Water Systems Section - DG/2, PO Bex 7521, Machine Wit 53707-7921.

Definitions from Wecomain Administrative Codes

"High capacity well' means a well constructed on a high capacity property. (HR \$13.07(51))

"High capacity property" means are property on which a high capacity well system exists or is to be constructed. (NR 812.57)523


"High capacity well upders" means one or more wells, collinates or reine shafts used or to be used to withdraw water for any purpose as one property. If the total pumping or flowing capacity of all wells, chiltrates or mine shafts on one property is 70 or more gallons par minute based on the pump serve at the lowest system pressure setting, or based on the downate. NPR 812.07(53)

"Public water system" searce a system for the provision to the public of placed value for human consumptions. If such system has at least 15 service connections or regularly solvers on average of at least 25 individuals duly of least 10 days per pair. A public value value system is effective, or regularly solvers on average of at least 25 individuals duly of least 10 days per pair. A public value value system is effective, or regularly solvers on average of at least 25 individuals duly of least 10 days per pair, A public value value system is effective, but to days per pair, a public value value system is effective, and the effective of the operator of atch system and used primarily in connection with each system, and [1] Any collective or presented of the operator of atch system and used primarily in connection with each system, pet 812.57(90)

"School" means a public or private obsorbane facility in which a program of advositional instruction is provided to children is any grade or grades from Kedergartes through the 12th grade. Water systems serving advisits fields, achool forests, environmental panters, home-beaut schools, day-care centers and thinks we wai school water systems. (bit 012-37(94))

"Westendate treatment plors" means any facility provided for the treatment of sambary or industrial washawater or both. The following types of heritites are methoded: (a) Facilities defined exprinte analogs systems in a 145.01(12), fitate, (b) Protreativeset facilities than which effluent is directed to a public server system for insutment, (c) industrial westensiter treatment facilities which cerulal solely of a tend disposed system. [NR 114.00(14)]





Wash Plant Equipment List

8 x 15 + 45" Faul 114.

36" X 80" find Conveyor with Bult Stale

E's 20' Series and Stand Talk Assembly

(1) 2 Cell 12/97P Seubley

(1) Twin 54 Sand Screw

(2) 200 HP Sand Fund pumps

(1) 40 107 4° 31uniy Pung

(1) 10^r Hydraskorr

(i) 7 Deviateing screen and stand

Cientral Roors' Einstrical Wireig Plant:

(2) 200 HtP Fresh Water pampe

Patribing /Discharge Pipa/ Valvat/ Frish Watar pipe

36º X 56 Jamper Cooveyor

(1) 30° X 80' Oversign Conveyor

34º 107 Radiol Studying Conveyor

ADDENDUM D

